


JUNE 2026



OVER 50 YEARS IN LIGHTING

www.starlit.co.za




We are a group dealing in all types of light fittings for over 50 years. We have internationally dealt in these products in Europe, Asia, Africa, Arabian Gulf and virtually every major light fitting market. No wonder, our sophisticated lighting range is designed and manufactured to international specifications.

We strive to provide our customers the highest quality offerings from around the globe and endeavour to bring the latest international lighting trends to the world.

Our emphasis has and shall always be to meet our customers' needs.

Change in our product is inevitable as we constantly endeavour to upgrade ourselves. Product supply therefore may differ from the illustrations in the catalogue.



LIGHT SOURCE
LED BULBS-230V



SPIRAL CORN E27
9W/12W



SPIRAL CORN B22
9W/12W



SPIRAL CORN E27/E40
24W/36W

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/9W/L ED/SP/E27	8906	SPIRAL CORN	9W	E27	Ø49XH120MM	DL-6000K	2 YEAR
ES174/9W/L ED/SP/B22	8907	SPIRAL CORN	9W	B22	Ø49XH120MM	DL-6000K	2 YEAR
ES174/12W/ LED/SP/E27	8908	SPIRAL CORN	12W	E27	Ø61XH140MM	DL-6000K	2 YEAR
ES174/12W/ LED/SP/B22	8909	SPIRAL CORN	12W	B22	Ø61XH140MM	DL-6000K	2 YEAR
ES174/24W/ LED/SP/E27	8910	SPIRAL CORN	24W	E27	Ø81XH170MM	DL-6000K	2 YEAR
ES174/24W/ LED/SP/B22	8911	SPIRAL CORN	24W	B22	Ø81XH170MM	DL-6000K	2 YEAR
ES174/36W/ LED/SP/E40	8912	SPIRAL CORN	36W	E40	Ø81XH200MM	DL-6000K	2 YEAR



3U CORN E27
7W/9W



3U CORN B22
7W/9W



4U CORN E40
36W

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES73/LED/3U/7W/E27	8580	3U CORN	7W	E27	Ø42XH130MM	DL-6000K	2 YEAR
ES93/LED/3U/7W/B22	8582	3U CORN	7W	B22	Ø42XH130MM	DL-6000K	2 YEAR
ES60/LED/3U/9W/E27	8540	3U CORN	9W	E27	Ø42XH140MM	DL-6000K	2 YEAR
ES67/LED/3U/9W/B22	8548	3U CORN	9W	B22	Ø42XH140MM	DL-6000K	2 YEAR
ES174/36W/LED/4U/E40	8913	4U CORN	36W	E40	Ø73XH280MM	DL-6000K	2 YEAR

LIGHT SOURCE
LED BULBS-230V



A60 GLOBE E27
7W/9W/12W



A60 GLOBE B22
7W/9W/12W

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/7W/LED/ A60/E27	8889	A60	7W	E27	Ø60XH105MM	DL-6000K	1 YEAR
ES174/7W/LED/ A60/B22	8890	A60	7W	B22	Ø60XH105MM	DL-6000K	1 YEAR
ES174/9W/LED/ A60/E27	8891	A60	9W	E27	Ø60XH110MM	DL-6000K	1 YEAR
ES174/9W/LED/ A60/B22	8892	A60	9W	B22	Ø60XH110MM	DL-6000K	1 YEAR
ES174/12W/LE D/A60/E27	8893	A60	12W	E27	Ø60XH114MM	DL-6000K	1 YEAR
ES174/12W/LE D/A60/B22	8894	A60	12W	B22	Ø60XH114MM	DL-6000K	1 YEAR



**C37 CANDLE
E14 5W**



**C37 CANDLE
E27 5W**



**G45 GOLFBALL
3W E14**



**G45 GOLFBALL
5W E27**

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/5W/LED/ CAN/E14	8898	C37 CANDLE	5W	E14	Ø37XH110MM	DL-6000K	1 YEAR
ES174/5W/LED/ CAN/E27	8931	C37 CANDLE	5W	E27	Ø37XH110MM	DL-6000K	1 YEAR
ES174/5W/LED/ CAN/B22	8932	C37 CANDLE	5W	B22	Ø37XH110MM	DL-6000K	1 YEAR
ES174/3W/LED/ G45/E14	8900	G45 GOLFBALL	3W	E14	Ø45XH80MM	DL-6000K	1 YEAR
ES174/5W/LED/ G45/E27	8901	G45 GOLFBALL	5W	E27	Ø45XH80MM	DL-6000K	1 YEAR

LIGHT SOURCE
LED BULBS-230V



GU10 LED
4W/5W/7W



3 CCT GU10 LED 7W
3000K|4000K|6000K
Switch on the body



R50/R63 REFLECTOR
5W E14/ 7W E27

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/4W/LED /GU10	8895	Gu10	4W	Gu10	Ø50XH55MM	DL-6000K	1 YEAR
ES174/5W/LED /GU10	8896	Gu10	5W	Gu10	Ø50XH55MM	DL-6000K	1 YEAR
ES174/7W/LED /GU10	8897	Gu10	7W	Gu10	Ø50XH55MM	DL-6000K	1 YEAR
ES174/7W/LED /GU10/WW	8979	Gu10	7W	Gu10	Ø50XH55MM	WW-3000K	1 YEAR
ES174/7W/LED /GU10/3CCT	8956	Gu10	7W	Gu10	Ø50XH55MM	3 CCT	2 YEAR
ES174/5W/LED /R50/E14	8899	R50 REFLECTOR	5W	E14	Ø50XH85MM	DL-6000K	1 YEAR
ES157/LED/7W /R63/E27	8836	R63 REFLECTOR	7W	E27	Ø63XH100MM	DL-6000K	1 YEAR



LED STICK E27
9W/12W



LED STICK B22
9W/12W



ROTATIONAL T HEAD
12W E27/B22

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/9W/LED/ STICK/E27	8902	STICK BULB	9W	E27	Ø36XH114MM	DL-6000K	2 YEAR
ES174/9W/LED/ STICK/B22	8903	STICK BULB	9W	B22	Ø36XH114MM	DL-6000K	2 YEAR
ES174/12W/LED/ STICK/E27	8904	STICK BULB	12W	E27	Ø44XH134MM	DL-6000K	2 YEAR
ES174/12W/LED/ STICK/B22	8905	STICK BULB	12W	B22	Ø44XH134MM	DL-6000K	2 YEAR
ES120/LED/12W/ T200/E27	8762	T HEAD ROTATING	12W	E27	L200XH90MM	DL-6000K	2 YEAR
ES121/LED/12W/ T200/B22	8763	T HEAD ROTATING	12W	B22	L200XH90MM	DL-6000K	2 YEAR

LIGHT SOURCE LED BULBS-230V



2W G4 LED, 12V



3W/5W G9 LED, 230V



4W Candle Filament

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/2W/LED /G4	8915	G4 BULB	2W	G4	Ø10XH36MM	DL-6000K	2 YEAR
ES174/3W/LED /G9	8916	G9 BULB	3W	G9	Ø16XH50MM	DL-6000K	2 YEAR
ES174/5W/LED /G9	8917	G9 BULB	5W	G9	Ø16XH50MM	DL-6000K	2 YEAR
ES86/FILA/LED/4W/C35/E14	8570	C35 FILAMENT	4W	E14	Ø35XH97MM	WW-3000K	2 YEAR

LED ROUND MODULE-230V



ES108/12W
8705
12W, Ø115MM



ES108/18W
8706
18W, Ø155MM

ES108/24W
8707
24W, Ø180MM

ROUND LED MODULES FOR INDOOR CEILING LIGHT
IP20, Daylight 6000K, Beam Angle 120°, Plastic+Aluminium, Magnetic Base



ES133-T8 LED TUBES
ES118-T5 LED TUBES
Single end AC Input, Frosted Glass



F76
T8 INTEGRATED TUBE

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES133/10W	8797	T8 LED 2FT	10W	G13	Ø26XH600MM	DL-6500K	1 YEAR
ES133/18W	8798	T8 LED 4FT	18W	G13	Ø26XH1200MM	DL-6500K	1 YEAR
ES133/25W	8799	T8 LED 5FT	25W	G13	Ø26XH1500MM	DL-6500K	1 YEAR
ES118/10W	8758	T5 LED 2FT	10W	G5	Ø20XH549MM	DL-6500K	2 YEAR
ES118/18W	8759	T5 LED 4FT	18W	G5	Ø20XH1149MM	DL-6500K	2 YEAR
ES118/25W	8760	T5 LED 5FT	25W	G5	Ø20XH1449MM	DL-6500K	2 YEAR
F76/18W	8575	INTEGRATED	18W	T8	L1200XW30XH 35MM	DL-6500K	2 YEAR

LIGHT SOURCE
LED BULBS-230V



ES174/6W/LED/YELLOW
8942 (E27)
8964 (B22)



ES174/6W/LED/RED
8943 (E27)
8965 (B22)



ES174/6W/LED/GREEN
8944 (E27)
8966 (B22)



ES174/6W/LED/BLUE
8945 (E27)
8967 (B22)

Colorful Diamond/Crystal LED Bulbs
6W, 230V, Ø36XH102MM, Beam Angle 360°, 2yr warranty
Available in E27/B22, Yellow, Red, Green & Blue colors

PLUGS
FOR ROPE/FAIRY LIGHTS



ES130/PLUG
8781
Plug for LED Fairy Light



ES175/PLUG SET
8951
Plug for SMD2835 Strip Roll



ES99/RGB/CONTROLLER
8871
RGB Button Controller for
RGB SMD5050 Strip Roll

Each set includes one 0.5M EU plug, one end cap
and one pin for LED Rope Light



LIGHT SOURCE

LED STRIPS/FAIRY LIGHT-230V



Starlit™



ES175/DL
8948



ES175/WW
8949



ES175/BLUE
8950



ES143/GREEN
8882



ES143/RED
8883



ES99/RGB
8870

HIGH VOLTAGE LED STRIP/ ROPE LIGHT 220-240V AC

IP65, 1M Cuttable, Clear PVC cover

100M Roll SMD2835-120LED 6W/M, Available in White, Warm White, Blue, Green, Red Color

50M Roll SMD5050-60LED 14.4W/M, Available in RGB Color




ES130/DL
8777



ES130/WW
8778



ES130/RGB
8779



ES130/BLUE
8780

OUTDOOR LED STRING/FAIRYLIGHT

IP65, 10W, 10M, 100LED, 10LED/M, 220-240V AC, Clear PVC Cover, With Male Female Connector

Daylight/Warm White/Blue- Self Flashing (9 Steady+1 Flash)

RGB- Full Self Flashing



LIGHT SOURCE

EMERGENCY LIGHTS



ES165/ES166
RECHARGEABLE
A60 LED 7W E27/B22
1200mAH Li-ion Battery
2-3H Emergency Time



ES167
RECHARGEABLE
GU10 5W
500mAH Li-ion Battery
2-3H Emergency Time



FL26
RECHARGEABLE
4W, 60LED LANTERN
1200mAH Li-ion Battery
Wall Mounting & Portable
Including AC charging Cable

ES168
RECHARGEABLE TUBE LIGHT 60W
Wall Mounting & Portable
3 Lights Mode, 3000mAH Li-ion Battery
2-3H Emergency Time
Including USB Charging Cable
Can be mounted with a hook or magnet



SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES165	8860	A60	7W	E27	Ø60XH115MM	DL-6500K	1 YEAR
ES166	8861	A60	7W	B22	Ø60XH115MM	DL-6500K	1 YEAR
ES167	8866	GU10	5W	GU10	Ø50XH80MM	DL-6500K	1 YEAR
FL26	8857	LANTERN	4W	—	L250XW55XD30MM	DL-6500K	1 YEAR
ES168	8867	TUBE	60W	T5	L520XW25XD40MM	DL-6500K	1 YEAR



S625
UFO LED HIGHBAY
100W/150W/200W
IP65, Diecast Aluminium body
with Isolated driver



FL32
DOB UFO LED HIGHBAY
100W/150W/200W
IP65, Diecast Aluminium body

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	DRIVER	SIZE	COL. TEMP.	WARRANTY
S625/100W	8811	UFO Highbay	100W	Isolated	Ø240XH125MM	DL-6000K	3 YEAR
S625/150W	8812	UFO Highbay	150W	Isolated	Ø300XH140MM	DL-6000K	3 YEAR
S625/200W	8813	UFO Highbay	200W	Isolated	Ø355XH142MM	DL-6000K	3 YEAR
FL32/100W	8933	UFO Highbay	100W	DOB	Φ230XH73MM	DL-6000K	2 YEAR
FL32/150W	8934	UFO Highbay	150W	DOB	Φ280XH73MM	DL-6000K	2 YEAR
FL32/200W	8935	UFO Highbay	200W	DOB	Φ320XH73MM,	DL-6000K	2 YEAR
S628/100W	8958	Highbay Bulb	100W	DOB	Ø153XH262MM	DL-6000K	2 YEAR




S628/100W/LED
LED HIGHBAY BULB
100W, E40, IP20

OUTDOOR LIGHTS LED FLOOD LIGHTS-230V



FL28
 SMD LED FLOOD LIGHT
 10W/20W/30W/50W/80W/100W/150W/200W
 IP65, Aluminium +Tempered Glass



FL31
 SMD LED FLOOD LIGHT
 300W/400W/500W
 IP65, Aluminium +Tempered Glass

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL28/10W	8661	DRIVERLESS FLOOD LIGHT	10W	L87XW83XD27MM	DL-6000K	2 YEAR
FL28/20W	8662	DRIVERLESS FLOOD LIGHT	20W	L103XW99XD27MM	DL-6000K	2 YEAR
FL28/30W	8663	DRIVERLESS FLOOD LIGHT	30W	L115XW111XD29MM	DL-6000K	2 YEAR
FL28/50W	8664	DRIVERLESS FLOOD LIGHT	50W	L139XW135XD29MM	DL-6000K	2 YEAR
FL28/80W	8665	DRIVERLESS FLOOD LIGHT	80W	L170XW165XD30MM	DL-6000K	2 YEAR
FL28/100W	8666	DRIVERLESS FLOOD LIGHT	100W	L210XW200XD32MM	DL-6000K	2 YEAR
FL28/150W	8667	DRIVERLESS FLOOD LIGHT	150W	L305XW295XD37MM	DL-6000K	2 YEAR
FL28/200W	8668	DRIVERLESS FLOOD LIGHT	200W	L350XW340XD38MM	DL-6000K	2 YEAR
FL31/300W	8918	DRIVERLESS FLOOD LIGHT	300W	L433XW318XD31MM	DL-6000K	2 YEAR
FL31/400W	8919	DRIVERLESS FLOOD LIGHT	400W	L488XW328XD39MM	DL-6000K	2 YEAR
FL31/500W	8936	DRIVERLESS FLOOD LIGHT	500W	L592XW328XD39MM	DL-6000K	2 YEAR



FL30
ECONOMIC DRIVERLESS
LED FLOOD LIGHTS 10W TO 100W
IP65, Aluminium+Tempered Glass



FL30/SEN
ECONOMIC DRIVERLESS
SENSOR LED FLOOD LIGHT 10W TO 50W
WITH PIR MOTION SENSOR
IP65, Aluminium+Tempered Glass

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL30/10W	8844	DRIVERLESS FLOOD LIGHT	10W	L77XW73XD26MM	DL-6000K	1 YEAR
FL30/20W	8845	DRIVERLESS FLOOD LIGHT	20W	L100XW70XD28MM	DL-6000K	1 YEAR
FL30/30W	8846	DRIVERLESS FLOOD LIGHT	30W	L115XW82XD26MM	DL-6000K	1 YEAR
FL30/50W	8847	DRIVERLESS FLOOD LIGHT	50W	L140XW100XD27MM	DL-6000K	1 YEAR
FL30/100W	8848	DRIVERLESS FLOOD LIGHT	100W	L220XW165XD37MM	DL-6000K	1 YEAR
FL30/SENSOR /10W	8875	SENSOR FLOOD LIGHT	10W	L77XW73XD26MM	DL-6000K	1 YEAR
FL30/SENSOR /20W	8876	SENSOR FLOOD LIGHT	20W	L100XW70XD28MM	DL-6000K	1 YEAR
FL30/SENSOR /30W	8877	SENSOR FLOOD LIGHT	30W	L115XW82XD26MM	DL-6000K	1 YEAR
FL30/SENSOR /50W	8878	SENSOR FLOOD LIGHT	50W	L140XW100XD27MM	DL-6000K	1 YEAR

OUTDOOR LIGHTS SOLAR LED FLOOD LIGHTS



FL35/SL
SOLAR LED FLOOD LIGHTS
50W/100W/150W/200W/300W
IP65, Aluminium body




FL36/SL
SOLAR LED FLOOD LIGHTS
100W/200W/300W/400W/500W
IP65, ABS body

Working Mode: Light Control+Remote Control
With Monocrystalline silicon Solar panel, Remote Control, LiFePO4-3.2V Li-ion Batteries and a 5m cable
Charging time: 4-6hours, Working time: 10-12hours

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL35/SL/50W/LED	8884	SOLAR LED FLOOD LIGHT	50W	L155XW135XD45MM	DL-6500K	2 YEAR
FL35/SL/100W/LED	8885	SOLAR LED FLOOD LIGHT	100W	L189XW166XD45MM	DL-6500K	2 YEAR
FL35/SL/150W/LED	8886	SOLAR LED FLOOD LIGHT	150W	L236XW186XD45MM	DL-6500K	2 YEAR
FL35/SL/200W/LED	8887	SOLAR LED FLOOD LIGHT	200W	L290XW230XD47MM	DL-6500K	2 YEAR
FL35/SL/300W/LED	8888	SOLAR LED FLOOD LIGHT	300W	L350XW270XD47MM	DL-6500K	2 YEAR
FL36/SL/100W/LED	8920	SOLAR LED FLOOD LIGHT	100W	L230XW170XD50MM	DL-6500K	1 YEAR
FL36/SL/200W/LED	8921	SOLAR LED FLOOD LIGHT	200W	L280XW220XD55MM	DL-6500K	1 YEAR
FL36/SL/300W/LED	8922	SOLAR LED FLOOD LIGHT	300W	L320XW245XD55MM	DL-6500K	1 YEAR
FL36/SL/400W/LED	8923	SOLAR LED FLOOD LIGHT	400W	L355XW270XD58MM	DL-6500K	1 YEAR
FL36/SL/500W/LED	8924	SOLAR LED FLOOD LIGHT	500W	L400XW305XD58MM	DL-6500K	1 YEAR

OUTDOOR LIGHTS SOLAR LED LIGHTS



FL34/SL
SOLAR LED FLOODLIGHTS
25W/50W/100W/200W/300W
IP65, Aluminium body



B42/SL
SOLAR LED BULKHEADS
60W/100W/200W
IP54, ABS+PC



S626/SL
SOLAR LED HIGH BAY LIGHTS
100W/150W
with hook & chain
IP54, Aluminium+ABS

Working Mode: Light Control+Remote Control
With Monocrystalline silicon Solar panel, Remote Control, LiFePO4-3.2V Li-ion Batteries and a 5m cable
Charging time: 4-6hours, Working time: 10-12hours

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL34/SL/25W	8853	SOLAR LED FLOODLIGHT	25W	L193XW155XD47MM	DL-6500K	2 YEAR
FL34/SL/50W	8854	SOLAR LED FLOODLIGHT	50W	L230XW195XD50MM	DL-6500K	2 YEAR
FL34/SL/100W	8855	SOLAR LED FLOODLIGHT	100W	L315XW265XD75MM	DL-6500K	2 YEAR
FL34/SL/200W	8856	SOLAR LED FLOODLIGHT	200W	L347XW277XD74MM	DL-6500K	2 YEAR
FL34/SL/300W	8868	SOLAR LED FLOODLIGHT	300W	L400XW353XD85MM	DL-6500K	2 YEAR
B42/SL/60W	8863	SOLAR LED BULKHEAD	60W	Ø238XD60MM	DL-6500K	2 YEAR
B42/SL/100W	8864	SOLAR LED BULKHEAD	100W	Ø280XD64MM	DL-6500K	2 YEAR
B42/SL/200W	8865	SOLAR LED BULKHEAD	200W	Ø320XD68MM	DL-6500K	2 YEAR
S626/LED/SL/100W	8872	SOLAR LED HIGHBAY	100W	Ø350XD200MM	DL-6500K	2 YEAR
S626/LED/SL/150W	8873	SOLAR LED HIGHBAY	150W	Ø400XD200MM	DL-6500K	2 YEAR

OUTDOOR LIGHTS SOLAR LED STREET LIGHTS



S627/SL
SOLAR LED STREET LIGHTS
100W/200W/300W
IP65, Aluminium+Glass
with Extension Arm & Solar panel



S622/SL
ALL IN ONE ABS SOLAR LED STREET LIGHTS
100W/200W/300W/400W/500W
IP65, ABS+PC, PIR motion Sensor
Integrated Solar panel, without Extension Arm




Working Mode: Light Control+Time Control+Remote Control
With Monocrystalline silicon Solar panel, Remote Control & LiFePO4-3.2V Lithium-ion Batteries
Charging time: 6-8hours, Working time: 10-12hours

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
S627/LED/SL/ 100W	8879	SOLAR LED STREET LIGHT	100W	L495XW213XH60MM	DL-6500K	2 YEAR
S627/LED/SL/ 200W	8880	SOLAR LED STREET LIGHT	200W	L495XW213XH60MM	DL-6500K	2 YEAR
S627/LED/SL/ 300W	8881	SOLAR LED STREET LIGHT	300W	L495XW213XH60MM	DL-6500K	2 YEAR
S622/SL/100W /LED	8925	ALL IN ONE SOLAR STREET LIGHT	100W	L385XW255XH65MM	DL-6500K	1 YEAR
S622/SL/200W /LED	8926	ALL IN ONE SOLAR STREET LIGHT	200W	L615XW270XH65MM	DL-6500K	1 YEAR
S622/SL/300W /LED	8927	ALL IN ONE SOLAR STREET LIGHT	300W	L595XW365XH85MM	DL-6500K	1 YEAR
S622/SL/400W /LED	8928	ALL IN ONE SOLAR STREET LIGHT	400W	L595XW365XH85MM	DL-6500K	1 YEAR
S622/SL/500W /LED	8929	ALL IN ONE SOLAR STREET LIGHT	500W	L795XW365XH85MM	DL-6500K	1 YEAR



FL33/RCH/LED/50W (8859)
PORTABLE SOLAR RECHARGEABLE LED FLOOD LIGHT
50W, H270XW235XD50MM, IP65, ABS+Glass
Multi-functional, USB & Solar Charging+Power Bank
Integrated Solar Panel, Li-ion Batteries and USB Cable included
Four Gear Working Mode (100%, 50%, 20% & Flashing)
Charging time: 6H, Working time: 15-30H



ES169/LED/SL/80W (8874)
SOLAR LED TUBE LIGHT
80W, Ø34XL850MM, IP54, ABS
With Polycrystalline silicon Solar Panel, Remote,
Li-ion Batteries and a 5m Cable
Charging time: 6-8H, Working time: 8-10H



W501/SL/20LED (8862)
SOLAR SENSOR WALL LIGHT
20LED, W96XH126XD50MM, IP65, PP body
PIR Motion Sensor, Sensing Range 3-5M
Integrated Solar Panel, Li-ion Battery
Charging time: 4-6H, Working time: 8-10H

 T8 FLUORESCENTS
OPEN CHANNEL-230V



F66
2ft/4ft/5ft Single Open Channel
Including Magnetic Ballast
Excluding T8 Tubes



F82
2ft/4ft/5ft Double Open Channel
Including Magnetic Ballast
Excluding T8 Tubes

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	Ballast	CFL Tube
F66/18/M	8437	2Ft Single	T8 1x18W	L630XW50XD80MM	Magnetic	Excluded
F66/36/M	8438	4Ft Single	T8 1x36W	L1240XW54XD80MM	Magnetic	Excluded
F66/58/M	8439	5Ft Single	T8 1x58W	L1530XW54XD80MM	Magnetic	Excluded
F82/18/M	8440	2Ft Double	T8 2x18W	L630XW100XD80MM	Magnetic	Excluded
F82/36/M	8441	4Ft Double	T8 2x36W	L1240XW100XD80MM	Magnetic	Excluded
F82/58/M	8442	5Ft Double	T8 2x58W	L1530XW100XD80MM	Magnetic	Excluded

T8 LED
EMPTY FIXTURES-230V



F65
2ft/4ft/5ft Single
LED Open Channel
Excluding T8 Tubes



F81/F94
2ft/4ft/5ft Double
LED Open Channel
Excluding T8 Tubes

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	LED Tube
F65/10W/LED	8521	2Ft Single	T8 1x10W	L620XW41XD25MM	Excluded
F65/18W/LED	8522	4Ft Single	T8 1x18W	L1230XW41XD25MM	Excluded
F65/25W/LED	8523	5Ft Single	T8 1x25W	L1530XW41XD25MM	Excluded
F81/20W/LED	8524	2Ft Double	T8 2x10W	L620XW41XD25MM	Excluded
F81/36W/LED	8525	4Ft Double	T8 2x18W	L1230XW41XD25MM	Excluded
F81/50W/LED	8526	5Ft Double	T8 2x25W	L1530XW41XD25MM	Excluded
F94/20W/LED	8786	2Ft Double (20mm gland)	T8 2x10W	L620XW41XD28MM	Excluded
F94/36W/LED	8787	4Ft Double (20mm gland)	T8 2x18W	L1230XW41XD28MM	Excluded
F94/50W/LED	8788	5Ft Double (20mm gland)	T8 2x25W	L1530XW41XD28MM	Excluded

T8 LED CABINET FITTINGS-230V



F85
2ft/4ft/5ft Double Dust Proof Fitting
With Prismatic Diffuser
Excluding T8 LED Tubes



F60
2ft/4ft Double Cabinet Fitting
With Clear Diffuser
Including T8 LED Tubes



F61
2ft/4ft Double Cabinet Fitting
With Silver Grid
Including T8 LED Tubes

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	Diffuser	LED Tube
F85/20W/LED	8679	2Ft Double	T8 2x10W	L640XW100XH53MM	Prismatic Diffuser	Excluded
F85/36W/LED	8637	4Ft Double	T8 2x18W	L1240XW100XH53MM	Prismatic Diffuser	Excluded
F85/50W/LED	8638	5Ft Double	T8 2x25W	L1540XW100XH53MM	Prismatic Diffuser	Excluded
F60/20W/LED	8608	2Ft Double	T8 2x10W	L623XW125XH45MM	Clear Diffuser	Included
F60/36W/LED	8609	4Ft Double	T8 2x18W	L1233XW125XH45MM	Clear Diffuser	Included
F61/20W/LED	8610	2Ft Double	T8 2x10W	L623XW125XH45MM	Silver Grid	Included
F61/36W/LED	8611	4Ft Double	T8 2x18W	L1233XW125XH45MM	Silver Grid	Included



F69 (without plate)
2ft/4ft/5ft Single
IP65, LED Weather proof
With Clear Diffuser
Excluding T8 LED Tubes




F70 (with iron plate)
F75 (without plate)
2ft/4ft/5ft Double
IP65, LED Weather proof
With Clear Diffuser
Excluding T8 LED Tubes

SPECIFICATIONS:


MODEL	ITEM CODE	TYPE	WATT	SIZE	LED Tube
F69/10W/LED	8529	2Ft Single	T8 1x10W	L660XW75XD60MM	Excluded
F69/18W/LED	8530	4Ft Single	T8 1x18W	L1270XW75XD60MM	Excluded
F69/25W/LED	8742	5Ft Single	T8 1x25W	L1570XW75XD60MM	Excluded
F75/20W/LED	8678	2Ft Double	T8 2x10W	L660XW100XD60MM	Excluded
F75/36W/LED	8647	4Ft Double	T8 2x18W	L1270XW100XD60MM	Excluded
F75/50W/LED	8648	5Ft Double	T8 2x25W	L1570XW100XD60MM	Excluded
F70/20W/LED	8532	2Ft Double (with plate)	T8 2x10W	L660XW100XD60MM	Excluded
F70/36W/LED	8533	4Ft Double (with plate)	T8 2x18W	L1270XW100XD60MM	Excluded
F70/50W/LED	8534	5Ft Double (with plate)	T8 2x25W	L1570XW100XD60MM	Excluded

LED

LINEAR/ PURIFICATION LAMP-230V



F86/ F89
2ft/4ft/5ft LED Linear Light
(Purification Lamp)
IP20, Integrated Light Source
Milky diffuser/Cover



F88
2ft/4ft LED Linear Light
(Purification Lamp)
IP20, Integrated Light Source
Clear prismatic diffuser/cover




**F58- Connectable
F116- Non-Connectable**
4ft/5ft LED Tri Proof
IP65, Integrated Light Source
Milky diffuser/Cover

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	Light Source	Warranty
F86/18W/LED	8850	2Ft Linear	18W	L600XW75XD23MM	SMD LED	1year
F86/36W/LED	8851	4Ft Linear	36W	L1200XW75XD23MM	SMD LED	1year
F86/50W/LED	8852	5Ft Linear	50W	L1500XW75XD23MM	SMD LED	1year
F88/28W/LED	8959	2Ft Prismatic Linear	28W	L615XW76XD25MM	SMD LED	2year
F88/50W/LED	8937	4Ft Prismatic Linear	54W	L1215XW76XD25MM	SMD LED	2year
F89/36W/LED/3CCT	8975	3CCT 4Ft Linear	36W	L1200XW75XD23MM	SMD LED	3year
F116/50W/LED	8808	5Ft Tri Proof	50W	L1500XW55XD35MM	SMD LED	2year
F58/50W/LED	8628	5Ft Tri Proof Connectable	50W	L1500XW40XH27MM	SMD LED	2year

T8/T5
FLUORESCENTS-230V



F12/C/8W
7978
L343XW23XH43M
1X8W, T5

Transparent Diffuser, T5 Tube &
Electronic Ballast included,
Connection & Power Cable included



F9-WH
7976
L645xW40MM
1x 18W, T8 (included)

Electronic Ballast(included)
White, On/ Off Switch



F93/20W/LED
8774
L585XW41XD25MM
2X10W, T5 LED

F93/36W/LED
8775
L1185XW41XD25MM
2X18W, T5 LED



F11-SC
7977
W190xL1280MM
2x36W, T8(excluded)


Ballast (included)
Satin Chrome




F90/36W/LED
8645
L1200XW80XH36MM
2X18W, Inbuilt LED tube

LED NANO LIGHT
PC+PC, IP20
Daylight-6500K
Beam Angle 300°


T8 LED
RECESSED-230V




F57/3X10W/LED
L595XW595XD75MM
Recessed Empty Body



F136/3X10W/LED
L595XW595XD75MM
Recessed Empty Body
With Prismatic Diffuser



F57/3X18W/LED
L1195XW595XD75MM
Recessed Empty Body




F136/3X18W/LED
L1195XW595XD75MM
Recessed Empty Body
With Prismatic Diffuser

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COVER	LED Tube
F57/3X10W/LED	8549	2Ft x 2Ft Recessed	T8 3x10W	L595XW595XD75MM	Louvre	Excluded
F57/3X18W/LED	8550	2Ft x 4Ft Recessed	T8 3x18W	L1195XW595XD75MM	Louvre	Excluded
F136/3X10W/LED	8743	2Ft x 2Ft Recessed	T8 3x10W	L595XW595XD75MM	Prismatic	Excluded
F136/3X18W/LED	8744	2Ft x 4Ft Recessed	T8 3x18W	L1195XW595XD75MM	Prismatic	Excluded

LED
BIG LED PANELS-230V



F139/90W- 3year
F113/90W- 1year
F140/90W- 3CCT 2year
2Ft x 4Ft Backlit Recessed LED Panel
90W, L1195XW595XD30MM



F138/48W- 3year
F113/48W- 1year
F140/48W- 3CCT 2year
2Ft X 2Ft Backlit Recessed LED Panel
48W, L595XW595XD30MM

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	Light Source	Warranty
F138/48W/LED	8755	2Ft x 2Ft Recessed LED Panel	48W	L595XW595XD30MM	6500K	SMD LED	3year
F139/90W/LED	8817	2Ft x 4Ft Recessed LED Panel	90W	L1195XW595XD30MM	6500K	SMD LED	3year
F113/48W/LED	8954	2Ft x 2Ft Recessed LED Panel	48W	L595XW595XD30MM	6500K	SMD LED	1year
F113/90W/LED	8955	2Ft x 4Ft Recessed LED Panel	90W	L1195XW595XD30MM	6500K	SMD LED	1year
F140/48W/LED/ 3CCT	8977	2Ft x 2Ft Recessed LED Panel	48W	L595XW595XD30MM	3CCT	SMD LED	2year
F140/90W/LED/ 3CCT	8978	2Ft x 4Ft Recessed LED Panel	90W	L1195XW595XD30MM	3CCT	SMD LED	2year

LED
ROUND PANELS-230V



C486/LED
Recessed Panel Light



C487/LED
Surface Panel Light



C529/LED
Frameless Panel Light

SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	CUTOUT	COL. TEMP.	WARRANTY
C486/LED/6W	8957	Recessed	6W	Φ120XH20MM	Φ105MM	DL-6000K	2 year
C486/LED/9W	8538	Recessed	9W	Φ145XH20MM	Φ130MM	DL-6000K	2 year
C486/LED/12W	8539	Recessed	12W	Φ170XH20MM	Φ150MM	DL-6000K	2 year
C486/LED/18W	8459	Recessed	18W	Φ225XH20MM	Φ205MM	DL-6000K	2 year
C486/LED/24W	8604	Recessed	24W	Φ295XH20MM	Φ282MM	DL-6000K	2 year
C487/LED/6W	8605	Surface	6W	Φ120XH32MM	—	DL-6000K	2 year
C487/LED/12W	8606	Surface	12W	Φ170XH32MM	—	DL-6000K	2 year
C487/LED/18W	8607	Surface	18W	Φ220XH32MM	—	DL-6000K	2 year
C530/18W/LED /3CCT	8974	Recessed	18W	Φ175XH28MM	Φ145MM	3CCT	2 year
C529/LED/22W	8858	Frameless Adjustable	22W	Φ170XH17MM	Φ55- 140MM	DL-6000K	2 year



PRESSED METAL DOWNLIGHTERS-12V/230V



Starlit™



D840

Φ80MM, Cutout 55MM
Straight, Twist Off Ring

Gun Metal	Satin Chrome	White	Matt Black
8555	8556	8557	8968



D841

Φ90MM, Cutout 70MM
Tilt, Twist Off Ring

Gun Metal	Satin Chrome	White	Matt Black
8558	8559	8560	8969



D818

Φ86×H75MM, Cutout 55MM,
Straight with Bracket, 1XGU10, 230V

G. Metal,	P. Brass,	S.Chrome,	White
7900	7901	7902	7903



D819

Φ95×H75MM, Cutout 65MM,
Tilt with Bracket, 1XGU10, 230V

G. Metal,	P. Brass,	S.Chrome,	White
7904	7905	7906	7907



LED DOWNLIGHTERS-230V



D835/LED/6W

White	Silver	White+Silver
8597	8614	8598

6W, Daylight 6000K
Φ105MM, cutout Φ75-95MM, H33MM
Beam Angle 90°



D816/N

8281
LED 3X1W
D86xH76MM, Cutout 70MM
Aluminium, Tilt
Cool White 4200K
Complete with Driver included



 **FROSTED/KRINKLE/ALABASTER
GLASS CEILINGS-230V**



C480
8485



C482
8486



C484
8487



C425
7780



C445
7805



C403/N
8417



C468/N/S
7839

**Φ300MM, Chrome clips
2XE27, 60W/ES11W, 230V
lamp not included
Frosted Glass/Alabaster Glass/
Krinkle Glass**



C439/N
7797



C435/Chs/S
7793

Φ200×98MM
1×E27

Round Cheese Fitting

C435/Chs/L
7792

Φ250×98MM
1×E27

CHEESE



C443/Chs/S
7804

200x200x115MM
1×E27

Square Cheese Fitting


C443/Chs/L
7803

250x250x115MM
1×E27



C488/LED

12W	18W	24W
8601	8602	8603



C499/LED

12W	18W	24W
8675	8722	8730




C500/LED

12W	18W	24W
8676	8723	8731



C501/LED

12W	18W	24W
8677	8724	8732




C503/LED

12W	18W	24W
8684	8737	8740



C513/LED

12W	18W	24W
8686	8725	8733



C515/LED

12W	18W	24W
8688	8726	8734



C516/LED

12W	18W	24W
8689	8727	8735

12W: Φ190MM, 18W: Φ230MM, 24W: Φ300MM
Daylight 6000K, LED Module included


3CCT/ THREE COLOR LED
DECORATIVE CEILINGS-230V



C504/48W
8938



C505/48W
8939



C506/48W
8940



C507/48W
8941



C508/48W
8952



C509/48W
8953

3CCT/ Tri-Color Decorative LED Ceiling Light
48W, 230V, Φ400MM, IP20, 2yr warranty, 3CCT: 3000K|4000K|6000K

C510/96W
8970



C511/96W
8971

C512/96W
8972



C517/96W
8973

3CCT/ Tri-Color Decorative Crystal LED Ceiling Light
96W, 230V, Φ500MM, IP20, 2yr warranty, 3CCT: 3000K|4000K|6000K

LED
INSECT KILLER-230V




F103/8W/LED
8946


8W LED Insect Killer
L347XW53XH230MM
including 2X4W LED Lamps
Effective Area 60m2
with chain and plug

F103/10W/LED
8947

10W LED Insect Killer
L446XW53XH230MM
including 2X5W LED Lamps
Effective Area 80m2
with chain and plug



GU10
LAMPHOLDER- 230V



H1
8030
GU10 Lampholder 230V
With 150mm wire



H1/BR
8031
GU10 Lampholder 230V
With Bracket & Earthing & 100mm wire

DIECAST ALUMINIUM BULKHEADS **OUTDOOR LIGHTS-230V**



B8/S

Φ180×D100MM

Black 7714

White 7715

B8/L

Φ245×D120 MM

Black 7712

White 7713



B9/S

Φ180×D100MM

Black 7718

White 7719

B9/L

Φ245×D120 MM

Black 7716

White 7717



B1

L280×W160MM

Black 7700

White 7701

B2

L213×W107MM

Black 7702

White 7703

LED BULKHEADS **OUTDOOR LIGHTS-230V**



B34/LED/12W

12W, Round

Ø220XH98MM

Black White

8693 8694



B37/LED/12W

12W, Round

Ø160XH40MM

Black White

8699 8700



B43/24W/LED

24W, Round

Ø220XD68MM

Black White

8960 8961



B44/24W/LED

24W, Oval

L270XW143XD68MM

Black White

8962 8963

Round/ Oval Shape LED Bulkheads

Plastic Body, IP54/IP65, Daylight 6000K, Beam Angle 120°



SS LANTERN/ WALL LIGHT OUTDOOR LIGHTS-230V



Starlit™

L36
8789

Ø115XD125XH340MM
Opal Perspex Cover
1XE27, ES13W (excluded)



SSW4
8200

Φ115XH330MM
Opal Perspex Cover
1XE27, ES13W (excluded)



SSW21
8207

Ø60XD90XH160MM
2XGU10, ES13W (excluded)
Up & Down Facing



SSW20
8206

Ø60XD90XH160MM
1XGU10, ES13W (excluded)
Adjustable Swivel Head



SSW12
8202

Φ150×H390MM
Clear Perspex Cover
1XE27, ES13W (excluded)



L35
8792

D105XW110XH300MM
Diecast Aluminium
2XGU10, ES13W (excluded)



ODW19/WW
8085

D60XW80XH285MM
Diecast Aluminium
1XGU10, ES50W (excluded)



ODW20/B
8086

D108XH130MM
Diecast Aluminium
1XE14, ES60W (excluded)





DIECAST ALUMINIUM LANTERNS OUTDOOR LIGHTS-230V



L6-U

190 x 170 x 370MM
6 Panel

Up Matt Black
8035

L6-D

Down Matt Black
8037



L7-U

190 x 150 x 360MM
4 Panel

Up Matt Black
8041

L7-D

Down Matt Black
8040



L19

W170XH420MM
6 Panel
Matt Black
8049



L20

W150XH395MM
4 Panel
Matt Black
8051



L13

175 x 100 x 365MM
3 Panel

Matt Black MB+AG
8044 8045



L15

220 x 125 x 383MM
4 Panel, 2xE27

Matt Black
8300



SATIN
SPOTLIGHTS-230V



S607
8138
105×52×550MM
3×G9



S608
8140
105×52×720MM
4×G9




S635N
8158
145×90×720MM
4×G9, 40W
Satin Chrome



S647
8168
780×275×155MM
4×G9, 40W
Satin Chrome



S679
8190
150×90×355MM
2×GU10
Antique Brass



C451/AB
7811
270×270MM
2×E27
Bayonet fit





Euro-lite (Pty) Ltd.

P.O.Box 323
Randpark Ridge 2156
South Africa

Physical Address:
C56/3 Harley Street,
Founders Hill, Modderfontein
Johannesburg 1645, South Africa

Sales Department Tel: +27 (0) 11 608 0458
+27 (0) 11 608 4650
+27 (0) 10 006 0338

Fax: 27(0)86 517 6590

E-mail: support@starlit.co.za

eurolitefax@gmail.com

URL: www.starlit.co.za